

1
WARRANTY

PompK

HYDRAULIC IMMERSION PUMP



- Unmatched weight/dimensions power ratio
- Water displacement up to 8000 L/min
- Can pump very muddy water
- Can grind* solid objects (up to 50 mm)
- Can access deep water, even on very uneven ground
- Requires minimum maintenance
- Operates with pressure up to 350 bar


POWER IN IMMERSION

Our pumps are simple and quick to install and use. Direct mounting using the quick-connect coupler and connection to the machine's existing circuit.

They use the immense hydraulic power of the machines, transforming them into **highly efficient** pumps.

Their incredible power makes them ideal for all pumping operations involving **large volumes of water**.


TECHNICAL FEATURES





FOCUS ON

The pump body



The body is made of **stainless steel**, with polyester polyurethane shims. These materials provide **unbeatable strength and resistance** to abrasion, impacts and rust.

The pumping chamber can be easily opened for inspection and cleaning.

The knife turbine (available on the PK55 / 65 models) can chop weeds, seaweed, rags, ropes, twigs, etc.



SAFETY QUESTION


The hydraulic operation implicitly guarantees safety, as electric shocktype accidents are impossible.



Connection to the machine's existing circuit, is always adapted to the hydraulic characteristics of the pump (requiring no adjustment or hydraulic modification).



Can **run dry indefinitely** without any damage.



Immersion to a depth of

16 m (PK45)

29 m (PK55)

39 m (PK65)



AVAILABLE WITH



KLAC SYSTEM



KLAC +



ALTERNATIK



THE RANGE POMP^K Immersion pump

Model C / 0

(Mxs of 1,5 to 2t)

Model D / 1

(Mxs of 2 to 3,5t)

Model E / 2

(Mxs of 3 to 5t)

Model F / 3

(Mxs of 6 to 10t)

Model G

(Mxs of 10 to 17t)

Ref	Weight kg	Dimensions W x H mm	Water flow rate L / min	Discharge opening
YPP45020CB	35	37 x 35	1 600	3" BSP F
YPP45040DB	67	40 x 50	3 000	4" BSP F
YPP45060EB	84	40 x 50	3 000	4" BSP F
YPP45080FB	171	50 x 80	5 500	5" BSP F
YPP45100GB	142	55 x 90	8 000	6" BSP F



Klac industrie

Klac industrie S.A.

288, rue des Saules
Z.A Orléans Sologne
Saint-Cyr-En-Val
45075 Orléans
Cedex 2 France

Tél. (33) 2 38 49 82 82

Fax (33) 2 38 49 82 83

contact@klac-industrie.com

www.klac-industrie.com